



CAT-20

# BR1 Pro

Here LTE gets Sonic

Wi-Fi just got better


Connect multiple devices simultaneously, and experience faster throughput speeds and better bandwidth congestion with the latest Wi-Fi 6, all with less interference.



## SpeedFusion Ready


Enable the endless possibilities of SpeedFusion technology just by simply connecting to SpeedFusion Cloud from wherever you are.





### Performance Boost

The BR1 Pro has been boosted with a CAT-20 modem which can achieve speeds of up to 800% faster than the original BR1 Pro.



- Status
- Wi-Fi
- Cellular


### Hardcore Capabilities


The BR1 Pro comes equipped with a 2.5Gbps Ethernet port, making it compatible for your network devices to run at their designated speeds without limitations.



### Deploy Anywhere

Certified toughness and wide operating temperatures mean you can just deploy, forget, and enjoy the benefits.





## Specifications

<b>WAN Interface</b>	1x 10/100/1000/2500M Ethernet <sup>1</sup> 1x LTE-A Pro Modem with Redundant SIM Slots	<b>Antenna Connectors</b>	4x SMA Cellular Antenna Connectors 2x RP-SMA Wi-Fi Antenna Connectors 1x SMA GPS Antenna Connector
<b>LAN Interface</b>	2x 10/100/1000M Ethernet	<b>Power Input</b>	10 - 30V
<b>Wi-Fi Interface</b>	Simultaneous Dual-Band (2.4GHz / 5GHz) Wi-Fi 6, 2X2 MU-MIMO Wi-Fi WAN and/or AP	<b>Power Consumption</b>	8 W (nominal), 19 W (max.)
<b>SpeedFusion features</b>	Hot Failover, WAN Smoothing, Bandwidth Bonding <sup>2</sup>	<b>Dimension</b>	5.78 x 5.08 x 1.15 inches / 146.8 x 129 x 29.3 mm
<b>Number of PepVPN</b>	2/5 <sup>3</sup>	<b>Weight</b>	1.5 pounds / 680 grams
<b>Features</b>	Drop-in Mode Load Balancing/Failover Ignition Sensing	<b>Operating Temperature</b>	-40° - 149°F / -40° - 65°C
<b>Router Throughput</b>	1 Gbps	<b>Humidity</b>	15% - 95% (non-condensing)
<b>PepVPN Throughput (No Encryption)</b>	400 Mbps	<b>Certifications</b>	FCC, CE, RoHS E-Mark (Motor Vehicle) <sup>6</sup> EN 61373 Shock and Vibration Resistance <sup>6</sup> EN 50155 Railway Applications - Electronic Equipment used on Rolling Stock EN 61000 Electromagnetic Compatibility
<b>PepVPN Throughput (256-bit AES)</b>	200 Mbps	<b>Package Content</b>	1x MAX BR1 Pro CAT-20 4x LTE/5G Antennas (ACW-234) 2x Dual Band Wi-Fi Antennas (ACW-341) 1x GPS Antenna (ACW-232) 1x 12V2A Power Supply (ACW-632)
<b>Recommended Users</b>	1-150	<b>SIM Card Size</b>	Nano-SIM (4FF)
<b>AP Controller</b>	Standard <sup>4</sup>	<b>Warranty</b>	1-Year Limited Warranty
<b>Maximum Number of AP Supported</b>	30 <sup>4</sup>		
<b>Cellular Data Rate <sup>5</sup> (Downlink/Uplink)</b>	CAT-20: 2 Gbps / 211 Mbps		

<sup>1</sup> The WAN port can act as a LAN port if needed.

<sup>2</sup> Requires PrimeCare Subscription, complimentary for the first year.

<sup>3</sup> 2 PepVPN Peers are enabled by default. 5 PepVPN Peers are enabled with PrimeCare Subscription, complimentary for the first year.

<sup>4</sup> Will be supported in a future firmware upgrade.

<sup>5</sup> Theoretical maximum data rates.

<sup>6</sup> Certifications Pending.

## Ordering Information

---

Product Code	Regions	LTE Bands	3G Bands
MAX-BR1-PRO-GLTE-S-T-PRM Embedded Modem(s): 1x LTE-A Pro (CAT-20)	Compatibility: Global	B1, B2, B3, B4, B5, B7, B8, B12, B13, B14, B18, B19, B20, B25, B26, B28, B29, B30, B32, B34, B38, B39, B40, B41, B42, B46, B48, B66, B71	HSPA+: B1, B2, B3, B4, B5, B8, B9

## Featured Add-on

---

Product Code	Description
PRM-MAX-BR1-PRO-1Y	1-Year PrimeCare for BR1 Pro
PRM-MAX-BR1-PRO-2Y	2-Year PrimeCare for BR1 Pro
PRM-MAX-BR1-PRO-4Y	4-Year PrimeCare for BR1 Pro